

KOMO[®] product certificate

Number	K45612/02	Replaces	K45612/01
Issued	2013-09-01	Dated	2008-10-01
Valid until	Indefinite	Page	1 of 2


Adhesives for joints in plastics piping systems for sewerage inside buildings

GYMCOL S.A.

STATEMENT BY KIWA

This product certificate is issued on the basis of BRL 5221 "Adhesives for joints in plastics piping systems for sewerage inside buildings" issued on 31 October 2008 by Kiwa, in accordance with the Kiwa Regulations for Product Certification.

Kiwa declares that legitimate confidence exists that the by the producer manufactured Adhesives for joints in plastics piping systems for sewerage inside buildings comply with the technical specifications as laid down in this product certificate, provided that Adhesives for joints in plastics piping systems for sewerage inside buildings have been marked with the KOMO[®]-mark in the manner as indicated in this product certificate.



Bouke Meekma
Kiwa

The certificate is listed in the overview on the website of Stichting KOMO: www.komo.nl.
Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

Kiwa Nederland B.V.
Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands

Tel. +31 70 414 44 00
Fax +31 70 414 44 20
info@kiwa.nl
www.kiwa.nl

Holder of Certificate
GYMCOL S.A.
Polígono Industrial Juan Carlos I
Av. De la Foia, 44
46440 ALMUSSAFES (VALENCIA)
Spain
T +34-902 995 464
F +34-902 995 720
I www.gymcol.es



Evaluated is:
quality system
product
Periodic inspection

Adhesives for joints in plastics piping systems for sewerage inside buildings

PRODUCTSPECIFICATION

The products as specified in the table below fulfil the requirements of BRL-5221. BRL-5221 fully covers the requirements of NEN-EN 14680, "Adhesives for non-pressure thermoplastic piping systems".

Adhesives
<ul style="list-style-type: none"> PVC Glue for in house sewerage of PVC-U ("Uneplas new age solvent cement")

APPLICATION AND USE

Adhesives with accompanying cleaners which are used to make joints in plastics piping systems made of PVC-U (NEN-EN 1329), ABS (NEN-EN 1455), PVC-C (NEN-EN 1566) en PVC + SAN (NEN-EN 1565) for sewerage inside buildings with nominal outside diameters up to and including 160mm and waste water temperatures up to 90°C.

MARKING

After conclusion of the certification agreement, each container of adhesive shall be provided with the following clearly legible and indelible markings:

- KOMO[®] (or KOMO[®] word mark);
- Certificate number;
- BRL-5221
- Manufacturer's or suppliers name and trade mark or identification mark of the adhesive;
- Application area: non pressure sewerage systems inside buildings;
- Standard for which plastics piping system the adhesive is suitable (e.g. PVC-U, PVC-C, ABS or SAN+ABS);
- Batch number;
- Date of manufacturing or "use before date", and a statement to the effect that the adhesive has a shelf life of minimum 12 months when stored in unopened containers in accordance with the manufacturer's instructions;
- Any safety precautions and instructions relating to use and storage.

The label should be in the language of the country in which the product is sold.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- GYMCOL S.A.
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.

CONSTRUCTION PRODUCTS REGULATIONS

If a construction product is subject to a European harmonised technical specification, the statements in this KOMO product certificate must not be used as a replacement for the CE marking on such construction product and/or for the associated obligatory Declaration of Performance.