



Price list 30/15

Ball valve Ø140
(DN125)
FULL BORE

Specially designed for
agri-food industry



Ball valve Ø140 mm (DN125). FULL BORE

Specially designed for agri-food industry

NEW

New ball valve Ø140 mm (DN 125) with FULL BORE.

Specially designed for agri-food industry.

Internal smooth surface that prevents damage caused by solids in suspension.




INTERNAL PART COMPLETELY SMOOTH

PN6 - DN125 low diameter (corresponds to a PN10 140mm pipe).

Applications: irrigation, agri-food industry, pisciculture, oil mills, wine cellars and canning industry.

- Minimal lost of load.
- Equal sizes in every part of the valve, even at the ball seat, avoid blocking and allow the flow of solids. This quality makes it perfect for the agroalimentary industry (olive-oil mill, wineries, canning industries...).
- M5 greasing intake for lubrication of ball.








Ball valve Ø140 mm (DN125) - FULL BORE

Flange, FULL BORE



Size	D.N.	Code			€
140 P.T.	125	52322	1	A-9	511,56





Dimensions (mm)

Size	A	B	C	D	E	F	G
140 P.T.	110	330	250	125	188	200,5	264



■ Ball valve Ø140 mm (DN125) - FULL BORE accessories



Steel-cored articulated flange Ø140

Size	D.N.	Code			€
140	-	52323	1	-	156,00



Adapter for actuator (*) Screws included

Size	D.N.	Code			€
140	-	60019	1	-	115,00



Flange holder Ø140 mm

Size	D.N.	Code			€
140	-	52324	1	-	27,82



Reduced flange holder Ø160 mm

Size	D.N.	Code			€
160	-	52325	1	-	31,55



(*) Screw included

Handle set for ball valve Ø140 mm

Size	D.N.	Ref.			€
140	-	52326	1	-	25,84



EPDM o-ring kit

Size	D.N.	Code			€
140	-	52327	1	-	27,33



Actuator adapter kit

Size	D.N.	Code			€
-	-	60022	1	-	43,55



Electric actuator

Voltage	D.N.	Code			€
220V	-	60020	1	-	1325,76



Double effect pneumatic actuator

Voltage	D.N.	Code			€
24V	-	60021	1	-	572,68



Removable PVC/PP ball valves. Large diameters (Ø 75/90/110/125)



Solvent socket connection

Size	D.N.	Code			€
75*	65	52207	4	A-8	136,46
**90*	65	52319	1	A-2	143,34
90*	80	52208	3	A-8	149,45
**110*	80	52320	1	A-2	168,24
110*	100	52209	2	A-9	272,89
**125*	100	52297	2	A-9	327,13

****Reduced Bore.**

125*	113	52306	1	A-11	352,32
------	-----	-------	---	------	--------

Full Bore.



Female threaded connection

Size	D.N.	Code			€
2 1/2"	65	52240	4	A-8	144,03



Male threaded connection

Size	D.N.	Code			€
2 1/2"	65	52267	4	A-9	144,03
3"	80	52268	3	A-9	171,01



Central body

Size	D.N.	Code			€
75 - 2 1/2"	65	52507	4	A-11	83,39
90 - 3"	80	52508	4	A-8	90,96
110 - 4"	100	52509	4	A-4	181,44
125 P.T.	113	52609	4	A-4	274,39



Polyethylene connection

Size	D.N.	Code			€
75*	65	52287	4	A-4	159,20
90*	80	52288	3	A-12	171,01



Flange connection


Size	D.N.	Code			€
75*	65	52291	4	A-9	159,20
90*	80	52292	3	A-4	171,01

* The measurements 75, 90, 110, 125, 2 1/2" and 3" manufactured with PP (polypropylene).



Ball valve Ø140 mm (DN125) FULL BORE

Specially designed for agri-food industry



©JIMTEN 3M

45357106-16

jimten, SA

CTRA. DE OCAÑA, 125 C.P. 03114

☒ 5285 C.P. 03080

☎ + 34.965.10.90.44

Fax. + 34.965.11.50.82

ALICANTE (ESPAÑA)



www.jimten.com

Company registered according to standards



ER-0084/1996



GA-1999/0156

an *OAliaxis* company